



ELECTRICAL TOOLS

POWER EVERY CONNECTION. PERFORM EVERY TASK.

MANUAL HYDRAULIC CUTTING TOOL, 6 TON Ø50MM

G9641

Output Force	6t
Rated Pressure	700bar
Cutting Capacity	
[Cu/Al]	Max: Ø50mm OD
	10kV 400mm ²
Net Weight	3.9kg
Dimensions	570 x 190 x 70mm
Packing Size	680 x 300 x 120mm



Package Includes

- Hard Case

MANUAL HYDRAULIC CUTTING TOOL, 12 TON Ø55MM

G9642

Output Force	12t
Rated Pressure	700bar
Cutting Capacity	
[Cu/Al/ACSR]	Max: Ø55mm OD
[Steel Bar]	Max: Ø22mm OD
Net Weight	7.0kg
Dimensions	610 x 190 x 90mm
Packing Size	680 x 300 x 120mm



Package Includes

- Hard Case

RATCHET CABLE CUTTER, Ø52MM

G80404

Cutting Capacity	Ø52mm OD
Length	405mm



POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

MANUAL HYDRAULIC CUTTER

TECHNICAL SPECIFICATIONS



	G9641	G9642	G80404
Output Force	6t	12t	—
Rated Pressure	700bar	700bar	—
Maximum Cutting Diameter	ø50mm	ø55mm	ø52mm
Net Weight	3.9kg	7.0kg	—
Dimensions	570 x 190 x 70mm	610 x 190 x 90mm	405mm
Packing Size	680 x 300 x 120mm	680 x 300 x 120mm	—
Cable Types			
Copper & Aluminium	✓	✓	✓
ACSR Cables	✗	✓	✗
Light Armored Cables	✗	✗	✗
Steel Bar	✗	✓	✗

BATTERY OPERATED HYDRAULIC CUTTER

TECHNICAL SPECIFICATIONS



	G9657	G9657AC	G9656	G9655	G9651	G9651s
Cutting Mechanism	Ratcheting	Ratcheting	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Output Force	—	—	6t	6t	12t	20t
Rated Pressure	—	—	700bar	700bar	700bar	700bar
Maximum Cable Capacity	ø54mm	Cu/A2l 100mm ² ACSR 240mm ²	ø50mm	ø85mm	ø105mm	ø105mm
Battery	18V, 4.0Ah	18V, 4.0Ah	18V, 4.0Ah	18V, 4.0Ah	18V, 4.0Ah	18V, 4.0Ah
Net Weight	2.5kg	2.5kg	5.0kg	6.7kg	10.6kg	10.3kg
Dimensions	190 x 120 x 390mm	190 x 120 x 390mm	440 x 280 x 80mm	550 x 450 x 80mm	640 x 280 x 90mm	640 x 280 x 90mm
Packing	Plastic Case	Plastic Case	Plastic Case	Plastic Case	Plastic Case	Steel Case
Digital Counter	—	—	Yes	Yes	Yes	Yes
Cable Types						
Copper & Aluminium	✓	✗	✓	✓	✓	✓
ACSR Cables	✗	✓	✗	✗	✗	✗
Light Armored Cables	✗	✗	✗	✓	✓	✓
Steel Bar	✗	✗	✗	✗	✗	✗

BATTERY POWERED RATCHET CUTTING TOOL, Ø54MM CU/AL CABLE

G9657

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Cutting Capacity	
[Cu/Al]	Max: Ø54mm OD
Operating Temperature	-10~50C
Cutting Cycle (Fully Charge)	About 100 cycles (Depends on Conductor Size)
Charger Power Supply	AC 220V 50~60Hz
Net Weight	2.5kg
Dimensions	190 x 120 x 390mm



Package Includes

- 2 x 18V 4.0 Ah Battery Pack
- 1 x Charger (UK Plug)
- Hard Case

BATTERY POWERED RATCHET CUTTING TOOL, 240MM² ACSR CABLE

G9657AC

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Cutting Capacity	
[ACSR]	240mm ²
[Copper Stranded Wire]	100mm ²
Operating Temperature	-10~50C
Cutting Cycle (Fully Charge)	About 100 cycles (Depends on Conductor Size)
Charger Power Supply	AC 220V 50~60Hz
Net Weight	2.5kg
Dimensions	190 x 120 x 390mm



Package Includes

- 2 x 18V 4.0 Ah Battery Pack
- 1 x Charger (UK Plug)
- Hard Case

BATTERY POWERED HYDRAULIC CUTTING TOOL, 6 TON Ø50MM

G9656

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Output Force	6t
Rated Pressure	700bar
Cutting Capacity	
[Cu/Al]	Max: Ø50mm OD
Net Weight	5.0kg
Dimensions	440 x 280 x 80mm
Packing Size	590 x 520 x 140mm



Package Includes

- 2 x 18V 4.0 Ah Battery Pack
- 1 x Charger (UK Plug)
- Hard Case

POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

BATTERY POWERED HYDRAULIC CUTTING TOOL, 6 TON Ø85MM

G9655

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Output Force	6t
Rated Pressure	700bar
Cutting Capacity	
[Cu/Al]	Max: Ø85mm OD
Net Weight	6.7kg
Dimensions	550 x 450 x 80mm
Packing Size	590 x 520 x 140mm



Package Includes

- 2 x 18V 4.0 Ah Battery Pack
- 1 x Charger (UK Plug)
- Hard Case

BATTERY POWERED HYDRAULIC CUTTING TOOL, 12 TON Ø105MM

G9651

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Output Force	12t
Rated Pressure	700bar
Cutting Capacity	
[Cu/Al]	Max: Ø105mm OD
Net Weight	10.6kg
Dimensions	640 x 280 x 90mm
Packing Size	680 x 500 x 140mm



Package Includes

- 2 x 18V 4.0 Ah Battery Pack
- 1 x Charger (UK Plug)
- Hard Case

BATTERY POWERED HYDRAULIC CUTTING TOOL, 20 TON Ø105MM

G9651S

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Output Force	20t
Rated Pressure	700bar
Cutting Capacity	
[Cu/Al]	Max: Ø105mm OD
[Light Armored]	Max: (10kV) 3 x 400mm²
Net Weight	10.3kg
Dimensions	640 x 280 x 90mm
Packing Size	780 x 450 x 130mm



Package Includes

- 2 x 18V 4.0 Ah Battery Pack
- 1 x Charger (UK Plug)
- Hard Case

HYDRAULIC CUTTING HEAD, 12 TON Ø105MM

G9646

Output Force	12t
Rated Pressure	700bar
Cutting Capacity	Ø105mm OD
Net Weight	8.6kg
Dimensions	540 x 250 x 90mm



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes

- Hard Case

HYDRAULIC CUTTING HEAD, 15 TON Ø132MM

G9648

Output Force	15t
Rated Pressure	700bar
Cutting Capacity	Ø132mm OD
Pump Requirements	Single Action
Weight	15.6kg
Dimension	660 x 240 x 100mm



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes


- Steel Case

HYDRAULIC CUTTING HEAD, 30 TON Ø160MM

G9649-II

Output Force	30t
Rated Pressure	700bar
Cutting Capacity	Ø160mm OD
Pump Requirements	Dual Action
Net Weight	95kg
Dimension	970 x 340 x 150mm

Note: Compatible for G9637 or G9638.



COMPATIBLE PUMPS



G9637



G9638

Package Includes

- Wooden Case

POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS


MATERIAL
HANDLING

HYDRAULIC CUTTING HEAD TECHNICAL SPECIFICATIONS



	G9646	G9648	G9649-II
Output Force	12t	15t	30t
Rated Pressure	700bar	700bar	700bar
Maximum Cutting Diameter	ø105mm	ø132mm	ø160mm
Pump requirement	Single Action	Single Action	Dual Action
Net weight	8.6kg	15.6kg	95kg
Packing	Plastic Case	Steel Case	Wooden Case
Compatible Pumps	G9645, G9645-II, G9635	G9645, G9645-II, G9635	G9637, G9638
Cable Types			
Copper & Aluminium	✓	✓	✓
Heavy Armored Cables	✗	✓	✓
Light Armored Cables	✓	✓	✓
Steel Bar	✗	✗	✗

INSULATED HYDRAULIC CUTTING TOOL TECHNICAL SPECIFICATIONS



	G9652	G9653-B	G9653
Output Force	15t	15t	15t
Rated Pressure	700bar	700bar	700bar
Maximum Cutting Diameter	ø132mm	ø132mm	ø132mm
Cable Voltage	Up to 35 kV	Up to 35 kV	Up to 35 kV
Hydraulic Power Source	Foot-operated hydraulic pump	Battery-operated hydraulic pump	Electric hydraulic pump
Remote Control	—	Wired and wireless	Wired and wireless
Net weight	27.6kg	27.1kg	36.1kg
Packing	Steel Case	Steel Case	Steel Case
Cable Types			
Copper & Aluminium	✓	✓	✓
Heavy Armored Cables	✓	✓	✓

INSULATED HYDRAULIC CUTTING TOOL WITH FOOT PUMP, 15 TON $\varnothing$ 132MM

G9652

Output Force	15t
Rated Pressure	700bar
Cutting Capacity	$\varnothing$ 132mm OD
Net Weight	27.5kg



Package Includes

- Steel Case
- Cutting Head
- Grounding Rod
- 10m Insulated Hose
- Hydraulic Foot Pump

INSULATED HYDRAULIC CUTTING TOOL WITH BATTERY PUMP, 15 TON $\varnothing$ 132MM

G9653-B

Power Source	Cordless
Voltage	18V
Battery Capacity	5.0Ah
Cutting Force	15t
Rated Pressure	700bar
Cutting Capacity	
[Cu/Al]	$\varnothing$ 132mm OD
Remote Control	Wired and Wireless
Hydraulic Pump	Battery Operated Pump
Reservoir Capacity	0.7L
Oil Output	
[High Pressure]	0.1 - 0.2L/min
[Low Pressure]	0.65 - 1.3L/min
Charging Time	40 min
Net Weight	27.1kg



Package Includes

- Steel Case
- Cutting Head
- Grounding Rod
- 10m Insulated Hose
- Hydraulic Battery Pump

INSULATED HYDRAULIC CUTTING TOOL WITH ELECTRIC PUMP, 15 TON $\varnothing$ 132MM

G9653

Output Force	15t
Rated Pressure	700bar
Cutting Capacity	
[Armored Cu/Al]	$\varnothing$ 132mm OD
Remote Control	Wired and Wireless
Hydraulic Pump	Electric Pump
Net Weight	36.1kg



Package Includes

- Steel Case
- Cutting Head
- Grounding Rod
- 10m Insulated Hose
- Hydraulic Electric Pump

POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

BUSBAR CUTTING TOOL, 150 X 12MM

G9681

Cutting Force	25t
Rated Pressure	700bar
Max Thickness	12mm
Max Cutting Width	150mm
Net Weight	28.25kg
Dimensions	270 x 190 x 420mm
Packing Size	380 x 270 x 460mm



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes

- Busbar Cutter
- Steel Case

BUSBAR CUTTING TOOL, 200 X 12MM

G9683

Cutting Force	30t
Rated Pressure	700bar
Max Thickness	12mm
Max Cutting Width	200mm
Net Weight	34.65kg
Dimensions	310 x 200 x 420mm
Packing Size	380 x 270 x 460mm



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes

- Busbar Cutter
- Steel Case

BUSBAR CUTTING TOOL, 200 X 16MM

G9684

Cutting Force	40t
Rated Pressure	700bar
Max Thickness	16mm
Max Cutting Width	200mm
Net Weight	46.5kg
Dimensions	330 x 200 x 450mm
Packing Size	380 x 280 x 460mm



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes

- Busbar Cutter
- Steel Case

BUSBAR CUTTING TOOL TECHNICAL SPECIFICATIONS



	G9681	G9683	G9684
Cutting Force	25t	30t	40t
Rated Pressure	700bar	700bar	700bar
Max Thickness	12mm	12mm	16mm
Max Cutting Width	150mm	200mm	200mm
Net Weight	28.25kg	34.65kg	46.5kg
Dimensions	270 x 190 x 420mm	310 x 200 x 420mm	380 x 280 x 460mm
Compatible Pumps	G9645, G9645-II, G9635	G9645, G9645-II, G9635	G9645, G9645-II, G9635

BUSBAR PUNCHING TOOL TECHNICAL SPECIFICATIONS



	G9686	G9688
Punching Force	31t	60t
Rated Pressure	700bar	700bar
Max Thickness		
Cu/Al	13mm	20mm
Plain Steel	10mm	16mm
Net Weight	14.0kg	35.9kg
Compatible Pumps	G9645, G9645-II, G9635	G9637, G9638

POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

BUSBAR PUNCHING TOOL, 31 TON

G9686

Punching Force	31t
Rated Pressure	700bar
Max Thickness	
[Cu/Al]	13mm
[Plain Steel]	10mm
Net Weight	14.0kg
Dimensions	230 x 100 x 370mm



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes

- Punching Head
- Punching Dies ø8, 10.5, 13.5, 17.5, 20.5mm
- Hard Case

DOUBLE ACTING BUSBAR PUNCHING TOOL, 60 TON

G9688

Punching Force	60t
Rated Pressure	700bar
Max Thickness	
[Cu/Al]	20mm
[Plain Steel]	16mm
Net Weight	35.9kg



COMPATIBLE PUMPS




G9637



G9638

Package Includes

- Punching Head
- Punching Dies ø16, 18, 22, 24mm
- Steel Case



MANUAL HYDRAULIC PUNCHING TOOL SET

G9685

Output Force	9t
Rated Pressure	700bar
Max Thickness	
[Plain Sheet Steel]	3.2mm
[Stainless Sheet Steel]	1.6mm



Package Includes

- Hard Case
- Punching Dies $\varnothing 1/2"$, $3/4"$, $1"$, $1 1/4"$, $1 1/2"$, $2"$

MANUAL HYDRAULIC PUNCHING TOOL SET

G9685-mm

Output Force	9t
Rated Pressure	700bar
Max Thickness	
[Plain Sheet Steel]	3.2mm
[Stainless Sheet Steel]	1.6mm



Package Includes

- Hard Case
- Punching Dies $\varnothing 20$, 25 , 32 , 40 , 50 , 63mm



POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

HYDRAULIC PIPE BENDER, 15 TON (STEEL ALLOY BODY)

G9695

Output Force	15t
Rated Pressure	700bar
Max Bending Capacity	3"
Oil Volume	516ml
Net Weight	34.3kg
Dimensions	680 x 780 x 130mm



COMPATIBLE PUMPS



- Package Includes
- Bending Die 1/2", 3/4", 1", 1-1/2", 2", 2-1/2", 3"
 - Steel Case

HYDRAULIC PIPE BENDER, 20 TON (ALUMINUM-ALLOY BODY)

G9696

Output Force	20t
Rated Pressure	700bar
Max Bending Capacity	4"
Oil Volume	516ml
Net Weight	33.0kg
Dimensions	740 x 880 x 250mm



COMPATIBLE PUMPS



- Package Includes
- Bending Die 1/2", 3/4", 1", 1-1/2", 2", 2-1/2", 3", 4"
 - Steel Case

HYDRAULIC PIPE BENDER TECHNICAL SPECIFICATIONS



	G9695	G9696
Output Force	15t	20t
Rated Pressure	700bar	700bar
Max Bending Capacity	3"	4"
Oil Volume	516ml	516ml
Net Weight	34.3kg	33.0kg
Dimensions	680 x 780 x 130mm	740 x 880 x 250mm
Compatible Pumps	G9645, G9645-II, G9635	G9645, G9645-II, G9635

SLEEVE TERMINAL CRIMPER, 6MM²

G80401

Crimping Capacity	0.25-6mm ²
Length	175mm



FOR BOOT LUGS



NON-PREINSULATED TERMINAL CRIMPER, 6MM²

G80402

Crimping Capacity	0.5-1/1-2.5/4-6mm ²
Length	230mm



FOR NON-PREINSULATED LUGS



PRE-INSULATED TERMINAL CRIMPER, 6MM²

G80403

Crimping Capacity	1-6mm ²
Length	230mm



FOR PRE-INSULATED LUGS



POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

MANUAL HYDRAULIC CRIMPING TOOL, 300MM²

G9621

Crimping Force	6t
Rated Pressure	700bar
Stroke	17mm
Crimping Capacity	
[Cu]	300mm²
Net Weight	3.8kg
Dimensions	500 x 170 x 70mm
PP Plastic Case	680 x 300 x 120mm



Package Includes

- Crimping Dies $\varnothing 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300$
- Hard Case

MANUAL HYDRAULIC CRIMPING TOOL, 400MM²

G9622

Crimping Force	12t
Rated Pressure	700bar
Stroke	42mm
Crimping Capacity	
[Cu]	Max 400mm²
Net Weight	6.1kg
Dimensions	560 x 180 x 70mm
Packing Size	680 x 300 x 120mm



Package Includes

- Crimping Dies $\varnothing 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400$
- Hard Case



MANUAL HYDRAULIC CRIMPING TOOL

TECHNICAL SPECIFICATIONS



	G9621	G9622
Crimping Force	6t	12t
Rated Pressure	700bar	700bar
Stroke	17mm	42mm
Maximum Crimping Capacity	300mm ²	400mm ²
Standard Die Range	Cu 6–300mm ²	Cu 6–400mm ²
Head Design	Flip-top head	C-shaped head
Head Rotation	360°	360°
Hydraulic System	Two-stage hydraulic system with automatic pressure release	Two-stage hydraulic system with automatic pressure release
Net Weight	3.8kg	6.1kg
Tool Dimensions	500 x 170 x 70mm	560 x 180 x 70mm

BATTERY OPERATED HYDRAULIC CRIMPING TOOL

TECHNICAL SPECIFICATIONS



	G9631	G9632	G9633	G9633UNV	G9634-N	G9634-6
Crimping Force	3.5t	6t	6t	6t	12t	15t
Rated Pressure	700bar	700bar	700bar	700bar	700bar	700bar
Maximum Crimping Capacity	Cu 150mm ²	Cu 300mm ²	Cu 300mm ²	300mm ²	Cu 400mm ²	Cu 630mm ²
Standard Die Range	Cu 6-150mm ²	Cu 6-300mm ²	Cu 6-300mm ²	Cu 6-300mm ²	Cu 6-400mm ²	Cu 16-630mm ²
Multifunction Capability (Cutting, Crimping, Punching)	×	×	×	✓	×	×
Head Rotation	360°	360°	360°	360°	360°	360°
Hydraulic System	Automatic pressure release	Automatic pressure release	Two-stage with automatic pressure release	Automatic pressure release	Two-stage with automatic pressure release	Two-stage with automatic pressure release
Net Weight	1.8kg	2.7kg	4.1kg	4.4kg	7.0kg	9.4kg

POWER TOOLS

ABRASIVES

ELECTRICAL TOOLS

TEST & MEASUREMENT

HAND TOOLS

WORK LIGHTS

SAFETY SHOES

TOOL STORAGE

LADDER & ACCESS

MATERIAL HANDLING

BATTERY POWERED HYDRAULIC CRIMPING TOOL, 3.5 TON 150MM²

G9631

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Crimping Force	3.5t
Stroke	10mm
Crimping Capacity [Cu/Al]	150mm ²
Oil Reservoir	50ml
Net Weight	1.8kg
Package Size	480 x 420 x 120mm



Package Includes

- Crimping Dies ø6, 10, 16, 25, 35, 50, 70, 95, 120, 150
- 2 x 18V 4.0Ah Battery
- 1 x Charger (UK Plug)
- Hard Case

BATTERY POWERED HYDRAULIC CRIMPING TOOL, 6 TON 300MM²

G9632

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Crimping Force	6t
Stroke	17mm
Crimping Capacity [Cu]	300mm ²
Oil Reservoir	50ml
Net Weight	2.7kg
Package Size	480 x 420 x 120mm



Package Includes

- Crimping Dies ø6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300
- 2 x 18V 4.0Ah Battery
- 1 x Charger (UK Plug)
- Hard Case

BATTERY POWERED HYDRAULIC CRIMPING TOOL, 6 TON 300MM²

G9633

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Crimping Force	6t
Rated Pressure	700bar
Stroke	22mm
Crimping Capacity [Cu/Al]	300mm ²
Net Weight	4.1kg
Dimensions	280 x 70 x 290mm
Package Size	590 x 510 x 140mm



Package Includes

- Crimping Dies ø6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300
- 2 x 18V 4.0Ah Battery
- 1 x Charger (UK Plug)
- Hard Case

3-IN-1 BATTERY POWERED HYDRAULIC TOOL, 6 TON

G9633UNV

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Crimping Force	6t
Rated Pressure	700bar
Crimping Capacity	Max 300mm ²
Punching Capacity	
[Plain Steel]	3.5 mm thick, ø64mm
[Stainless Steel]	2.5 mm thick, ø64mm
Cutting Capacity	
[Cu/Al/ACSR]	Max ø40mm
Net Weight	4.4kg
Dimensions	430 x 80 x 280mm
Packing Size	590 x 510 x 140mm



Package Includes

- Crimping Dies ø6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300
- Punching Dies ø1/2", 3/4", 1", 1 1/4", 1 1/2", 2"
- Cutting Blade UCACSR/UC40
- Punching Adaptor
- 2 x 18V 4.0Ah Battery
- 1 x Charger (UK Plug)

BATTERY POWERED HYDRAULIC CRIMPING TOOL, 12 TON 400MM²

G9634-N

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Crimping Force	12t
Rated Pressure	700bar
Stroke	42mm
Crimping Capacity	
[Cu/Al]	Max 400mm ²
Net Weight	7.0 kg
Dimensions	440 x 70 x 280mm
Package Size	590 x 510 x 140mm



Package Includes

- Crimping Dies ø6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400
- Hard Case
- 2 x 18V 4.0Ah Battery
- 1 x Charger (UK Plug)

BATTERY POWERED HYDRAULIC CRIMPING TOOL, 15 TON 630MM²

G9634-6

Power Source	Cordless
Voltage	18V
Battery Capacity	4.0Ah
Crimping Force	15t
Stroke	50mm
Rated Pressure	700bar
Crimping Capacity	
[Cu/Al]	Max 630mm ²
Net Weight	9.4kg
Dimensions	510 x 80 x 280mm
Packing Size	590 x 520 x 140mm



Package Includes

- Crimping Dies ø16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500, 630
- Hard Case
- 2 x 18V 4.0Ah Battery
- 1 x Charger (UK Plug)

POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

HYDRAULIC CRIMPING HEAD, 16-630MM²

G9636

Crimping Force	25t
Rated Pressure	700bar
Stroke	20mm
Crimping Capacity	630mm ²
Weight	5.4kg



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes

- Crimping Dies ø16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400, 500, 630
- Canvas Carrying Bag

HYDRAULIC CRIMPING HEAD, 6-400MM²

G9636-II

Crimping Force	12t
Rated Pressure	700bar
Stroke	42mm
Crimping Capacity	400mm ²
Weight	4.8kg



COMPATIBLE PUMPS



G9645



G9645-II



G9635

Package Includes

- Crimping Dies ø16, 25, 35, 50, 70, 95, 120, 150, 185, 240, 300, 400
- Canvas Carrying Bag

CRIMPING HEAD, 200T 2500MM²

G9639

Crimping Force	200t
Stroke	40mm
Crimping Capacity	Max 2500mm ²
Cu/Al	100mm
Steel	50mm
Weight	85kg



COMPATIBLE PUMPS



G9637



G9638

OPTIONAL CRIMPING DIES



G9630
Dies can be customized

HYDRAULIC CRIMPING HEAD TECHNICAL SPECIFICATIONS



	G9636	G9636-II	G9639
Crimping Force	25t	12t	200t
Rated Pressure	700bar	700bar	700bar
Stroke	20mm	42mm	40mm
Maximum Crimping Capacity	630mm ²	400mm ²	Cu/Al: 100mm, Steel: 50mm
Head Design	U-type, pin-type head	C-type head	Heavy-duty industrial head
Net Weight	5.4kg	4.8kg	85kg
Compatible Pumps	G9645, G9645-II, G9635	G9645, G9645-II, G9635	G9637, G9638

HYDRAULIC BEARING PULLER TECHNICAL SPECIFICATIONS



	G9673	G9674	G9671	G9672
Force	12t	30t	12t	30t
Stroke (A)	85mm	111mm	85mm	111mm
Pressure Area	14.45cm ²	42cm ²	14.45cm ²	42cm ²
Claw Depth	260mm	435mm	260mm	435mm
Claw Distance	375mm	550mm	375mm	550mm
Net Weight	9.5 kg	34 kg	9.5 kg	36kg
Top				
[B]	60mm	98mm	60mm	98mm
[C]	28mm	50mm	28mm	50mm
[D]	118mm	155mm	118mm	155mm
Claw End				
[A1]	14mm	20mm	14mm	20mm
[B1]	10mm	27mm	10mm	27mm
[C1]	29mm	38mm	29mm	38mm
Compatible Pumps	G9645, G9645-II, G9635	G9645, G9645-II, G9635	—	—

POWER TOOLS

ABRASIVES

ELECTRICAL TOOLS

TEST & MEASUREMENT

HAND TOOLS

WORK LIGHTS

SAFETY SHOES

TOOL STORAGE

LADDER & ACCESS

MATERIAL HANDLING

HYDRAULIC BEARING PULLER, 12 TON

G9673

Force	12t
Stroke (A)	85mm
Pressure Area	14.45cm ²
Claw Depth	260mm
Claw Distance	375mm
Weight	9.5kg
Top	
[B]	60mm
[C]	28mm
[D]	118mm
Claw End	
[A1]	14mm
[B1]	10mm
[C1]	29mm

COMPATIBLE PUMPS




G9645



G9645-II



G9635



Package Includes

- Hard Case

HYDRAULIC BEARING PULLER, 30 TON

G9674

Force	30t
Stroke (A)	111mm
Pressure Area	42cm ²
Claw Depth	435mm
Claw Distance	550mm
Net Weight	34kg
Top	
[B]	98mm
[C]	50mm
[D]	155mm
Claw End	
[A1]	20mm
[B1]	27mm
[C1]	38mm

COMPATIBLE PUMPS



G9645



G9645-II



G9635



Package Includes


- Steel Case



HYDRAULIC BEARING PULLER WITH INTEGRATED PUMP, 12 TON

G9671

Force	12t
Stroke (A)	85mm
Pressure Area	14.45cm ²
Claw Depth	260mm
Claw Distance	375mm
Weight	9.5kg
Top	
[B]	60mm
[C]	28mm
[D]	118mm
Claw End	
[A1]	14mm
[B1]	10mm
[C1]	29mm




Package Includes

- Hard Case
- Metal Handle

HYDRAULIC BEARING PULLER WITH INTEGRATED PUMP, 30 TON

G9672

Force	30t
Stroke (A)	111mm
Pressure Area	42cm ²
Claw Depth	435mm
Claw Distance	550mm
Weight	36kg
Top	
[B]	98mm
[C]	50mm
[D]	155mm
Claw End	
[A1]	20mm
[B1]	27mm
[C1]	38mm



Package Includes

- Steel Case
- Metal Handle



POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

HYDRAULIC FOOT PUMP

G9645

Rated Pressure	700bar
Pump Weight	8.6kg
Transportation Box Weight	4.5kg
Pump Dimensions (Hose not Included)	580 x 180 x 210mm
Transportation Box Dimensions	750 x 240 x 240mm



Package Includes

- 2.7m Hose

HYDRAULIC HAND PUMP

G9645-II

Rated Pressure	700bar
Pump Weight	5.0kg
Transportation Box Weight	1.2kg
Pump Dimensions (Hose not Included)	610 x 130 x 170mm
Transportation Box Dimensions	740 x 200 x 210mm



Package Includes

- 3m Hose



MANUAL HYDRAULIC PUMP TECHNICAL SPECIFICATIONS



	G9645	G9645-II
Operation Method	Foot-operated	Hand-operated
Rated Pressure	700bar	700bar
Pump Weight	8.6kg	5.0kg
Pump Dimensions w/o Hose	580 x 180 x 210mm	610 x 130 x 170mm
Construction Material	High-strength aluminium alloy	High-strength and light-weight metal and reinforced engineering plastics

HYDRAULIC PUMP TECHNICAL SPECIFICATIONS



	G9637	G9638	G9635
Power Source	Electric motor	Petrol engine	18 V lithium-ion battery
Hydraulic Action	Double action	Double action	Single action
Rated Pressure	700bar	700bar	700bar
Hydraulic Hoses	2 x 5m	2 x 5m	1 x 3m
Net Weight	20.1kg	50kg	7.5kg
Dimensions	380 x 220 x 490mm	650 x 370 x 500mm	390 x 180 x 250mm

POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

DOUBLE ACTION HYDRAULIC PUMP ELECTRIC POWERED

G9637

Power Source	Electric motor
Rated Pressure	700bar
Reservoir Capacity	5L
Oil Delivery	
[High Pressure]	0.3L/min
[Low Pressure]	4L/min
Net Weight	20.1kg
Dimensions	380 x 220 x 490mm
Packing Size	450 x 330 x 620mm



Package Includes

- 2 x 5 Meter Hose

DOUBLE ACTION HYDRAULIC PUMP PETROL POWERED

G9638

Power Source	Petrol engine
Rated Pressure	700bar
Reservoir Capacity	10L
Oil Delivery	
[High Pressure]	1.2L/min
[Low Pressure]	7.5L/min
Net Weight	50kg
Dimensions	650 x 370 x 500mm
Packing Size	700 x 470 x 540mm



Package Includes

- 2 x 5 Meter Hose

BATTERY POWERED HYDRAULIC PUMP

G9635

Power Source	Li-ion battery
Voltage	18V
Battery Capacity	5.0Ah
Rated Pressure	700bar
Oil Output at High Pressure	
[2 Batteries]	0.2L/min
[1 Battery]	0.1L/min
Oil Output at Low Pressure	
[2 Batteries]	1.3L/min
[1 Battery]	0.65L/min
Tank Capacity	0.7L
Operating Noise	83dB(A)
Charging Time	40 min
Weight	7.5kg



Package Includes

- Wireless Remote Control
- Wired Remote Control
- Canvas Carrying Bag
- 2 x 18V 5.0 Ah Battery Pack
- 1 x Charger (UK Plug)
- 3m Hose

18V BATTERY CHARGER

G9691



Input	100 - 240V, 80W
Frequency	50 - 60Hz

18V 2.0AH LI-ION BATTERY

G9692



Battery Voltage	18V
Battery Capacity	2.0Ah

18V 4.0AH LI-ION BATTERY

G9694



Battery Voltage	18V
Battery Capacity	4.0Ah



POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

ADJUSTABLE HYDRAULIC CABLE DRUM STAND, 3 TON 1.1M MAX AXIS HEIGHT

G9910-3T

Max Axis Height	1100mm
Rated Load	3 Ton
Net Weight	50kg



ADJUSTABLE HYDRAULIC CABLE DRUM STAND, 5 TON 1.3M MAX AXIS HEIGHT

G9910-5T

Max Axis Height	1300mm
Rated Load	5 Ton
Net Weight	60kg



ADJUSTABLE HYDRAULIC CABLE DRUM STAND WITH BRAKE, 5 TON

G9912-5T

Max Axis Height	1500mm
Rated Load	5 Ton
Net Weight	220kg



ADJUSTABLE HYDRAULIC CABLE DRUM STAND WITH BRAKE, 10 TON

G9912-10T

Max Axis Height	1700mm
Rated Load	10 Ton
Net Weight	310kg



ADJUSTABLE HYDRAULIC CABLE DRUM STAND WITH BRAKE, 15 TON

G9912-15T

Max Axis Height	1800mm
Rated Load	15 Ton
Net Weight	310kg



POWER
TOOLS

ABRASIVES

ELECTRICAL
TOOLS

TEST &
MEASUREMENT

HAND
TOOLS

WORK
LIGHTS

SAFETY
SHOES

TOOL
STORAGE

LADDER &
ACCESS

MATERIAL
HANDLING

HYDRAULIC CABLE DRUM STAND
TECHNICAL SPECIFICATIONS



	G9910-3T	G9910-5T	G9912-5T	G9912-10T	G9912-15T
Maximum Axis Height	1100mm	1300mm	1500mm	1700mm	1800mm
Rated Load	3 Ton	5 Ton	5 Ton	10 Ton	15 Ton
Net Weight	50kg	60kg	220kg	310kg	310kg

