

WORK LIGHTS

ILLUMINATE EVERY TASK. POWER THROUGH THE DARK.

LED TORCH LIGHT 500 LM — G80387

Bulb	SMD LED
Lumens [High]	500 lm
Lumens [Low]	150 lm
Beam Range	100 m
Operating Hours [High]	1.5 hrs
Operating Hours [Low]	8 hrs
IP Class	IP54
Battery Type	2 x AAA
Color Temperature	7500K
Size	36 x 36 x 123 mm
Weight	101 g



Package Includes
- 3 x AAA Battery

LED TORCH LIGHT 700 LM — G80388

Bulb	SMD LED
Lumens [High]	700 lm
Lumens [Low]	300 lm
Beam Range	200m
Operating Hours [High]	8hrs
Operating Hours [Low]	15hrs
IP Class	IP54
Battery Type	2 x D Battery
Color Temperature	7500K
Size	51 x 39 x 245mm
Weight	349g



Package Includes
- 2 x D Battery

RECHARGEABLE LED TORCH LIGHT 1000 LM — G80389-II

Bulb	LED
Lumens [High]	1000 lm
Lumens [Mid]	400 lm
Lumens [Low]	10 lm
Beam Range [High]	120m
Beam Range [Mid]	65m
Beam Range [Low]	12m
Operating Hours [High]	2hrs
Operating Hours [Mid]	3.5hrs
Operating Hours [Low]	50hrs
IP Class	IPX4
Battery Type	3.7V 2000mAh
Size	ø38 x 178mm
Weight	213g
Color Temperature	7500K



Package Includes
- USB C Cable

RECHARGEABLE LED TORCH LIGHT 2500 LM

G80389

Bulb	LED
Lumens [High]	2500 lm
Lumens [Mid]	1250 lm
Lumens [Low]	250 lm
Beam Range [High]	180m
Beam Range [Mid]	55m
Beam Range [Low]	25m
Operating Hours [High]	1.25hrs
Operating Hours [Mid]	2hrs
Operating Hours [Low]	8hrs
IP Class	IPX4
Battery Type	3.7V 4400mAh
Color Temperature	4500K
Size	⌀54 x 230mm
Weight	525g



Package Includes

- USB C Cable

RECHARGEABLE LED TORCH LIGHT 750 LM

G80390

Bulb	CREE SML U3
Lumens [High]	750 lm
Lumens [Low]	300 lm
Beam Range	250 m
Operating Hours [High]	3hrs
Operating Hours [Low]	12hrs
IP Class	IPX4
Battery Type	3.7V 4000mAh
Size	⌀42 x ⌀32.2 x 175mm
Weight	295g
Color Temperature	6500K



Package Includes

- USB C Cable
- Charging Dock



MINI RECHARGEABLE WORK LIGHT 500 LM

G80391

Bulb	COB LED
Lumens [High]	500 lm
Lumens [Low]	100 lm
Lumens [Top]	100 lm
Beam Range	35m
Operating Hours [High]	1.5hrs
Operating Hours [Low]	5hrs
IP Class	IPX5
Battery Type	3.7V 1200mAh
Size	97 x 29 x 20.6mm
Weight	98g
Color Temperature	7500K



Package Includes

- USB C Cable

RECHARGEABLE HANDHELD WORK LIGHT 400 LM

G80392

Bulb	COB LED + SMD LED
Lumens [High]	400 lm
Lumens [Low]	120 lm
Lumens [SMD]	200 lm
Beam Range [High]	25m
Beam Range [Low]	15m
Beam Range [SMD]	60m
Operating Hours [High]	3hrs
Operating Hours [Low]	9hrs
Operating Hours [SMD]	5hrs
IP Class	IPX6
Battery Type	3.7V 2200mAh
Size	135 x 64 x 30mm
Weight	197g
Color Temperature	7500K



Package Includes

- USB C Cable



LED HEAD LAMP 180 LM

G80393

Bulb	SMD LED
Lumens [High]	180 lm
Lumens [Low]	20 lm
Operating Hours [High]	1hrs
Operating Hours [Low]	7hrs
IP Class	IP54
Battery Type	2 x AAA
Size	61 x 35 x 37mm
Weight	45g
Color Temperature	7500K



Package Includes

- 2 x AAA Battery

RECHARGEABLE LED HEAD LAMP 500 LM

G80394

Bulb	COB LED
Lumens [All On]	500 lm
Lumens [High]	400 lm
Lumens [Low]	120 lm
Lumens [COB On]	200 lm
Beam Range	80m
Operating Hours [High]	3hrs
Operating Hours [Low]	6hrs
IP Class	IP54
Battery Type	3.7V 1000mAh / 3 x AAA
Size	68 x 39 x 40mm
Weight	89g
Color Temperature	7500K



Package Includes

- USB C Cable

RECHARGEABLE SITE LAMP 1100 LM

G80395

Bulb	COB LED
Lumens [High]	1100 lm
Lumens [Low]	350 lm
Beam Range [High]	50m
Beam Range [Low]	25m
Operating Hours [High]	3hrs
Operating Hours [Low]	6hrs
IP Class	IP54
Battery Type	3.7V 4400mAh
Size	189.5 x 164.5 x 45mm
Weight	732g
Color Temperature	7500K



Package Includes

- USB C Cable

PORTABLE TRIPOD WORKLIGHT 10000 LM

G80395-T

Bulb	SMD LED
Lumens [High]	10000 lm
Lumens [Mid]	4300 lm
Lumens [Low]	1400 lm
Lumens [Cable]	4000 lm
Beam Range [High]	130m
Beam Range [Mid]	90m
Beam Range [Low]	55m
Beam Range [Cable]	75m
Operating Hours [High]	1.5hrs
Operating Hours [Mid]	3hrs
Operating Hours [Low]	6hrs
IP Class	IPX4
Battery Type	14.6V 4000 mAh I 110 - 220V 1.5A
Color Temperature	4000K & 6500K
Height [Folded]	889mm
Height [Unfolded]	1980mm
Size	140 x 215 x 850mm
Weight	2.29kg



Package Includes

- UK Plug Charger

CORDLESS TOWER WORKLIGHT 10000 LM

G80395i

Bulb	LED
Lumens [High]	10000 lm
Lumens [High-Mid]	8000 lm
Lumens [Mid]	6000 lm
Lumens [Low-Mid]	4000 lm
Lumens [Low]	2000 lm
Beam Range [High]	120m
Beam Range [High-Mid]	108m
Beam Range [Mid]	95m
Beam Range [Low-Mid]	76m
Beam Range [Low]	55m
Operating Hours [High]	1.5hrs
Operating Hours [High-Mid]	2hrs
Operating Hours [Mid]	2.45hrs
Operating Hours [Low-Mid]	4hrs
Operating Hours [Low]	8hrs
IP Class	IPX4
Battery Type	18-21V
Color Temperature	4000K & 6500K
Height [Folded]	1100mm
Height [Unfolded]	2300mm
Size	207 x 199 x 2300mm
Weight	8kg



Package Includes

- 3 Battery Adapter (for Bosch, Makita, & Dewalt)
  Optional Battery Adapter: Milwaukee
- UK Plug Charger